



Technical Data Sheet

FLEXOGRIP™ CR DH6133

DESCRIPTION

- Industrial protective glove.
- Synthetic mélange-grayish textile liner with a grey synthetic coating PU based. Gauge 13
- 5 sizes available: 7, 8, 9, 10 and 11.
- Trade unit 12 pairs, 144 pairs in a transit case.

CHARACTERISTICS

- Seamless knitted technology . "Innovative Knitting process".
- technical fibers Tsunooga™ UHMWPE conjugated with 100% Cotton and Spandex
- Highly stretchable and very comfortable textile mix.
- Glass-free glove
- Polyurethane based coating on palm and finger tips.
- Elasticated knit wrist with elastic bead to ensure best snug-fit.
- In compliance with standards EN420 (General requirement) and EN388 (Mechanical hazards) as per test carried out by notified body.

PERFORMANCES

- Very good comfort and dexterity. The patented knitted process allows the hand palm to freshness feeling while in operation
- Very good comfort and dexterity
- Unique knitted structure allows the hand palm comfort feeling while in operation.
- Lint-free glove.
- Top performance in mechanical resistance with good cut protection, very good durability.

APPLICATIONS


- For fine tactile handling needing a very good protection against cuts.
- Multipurpose mechanical industries (handling of sharp components, fitting and assembling works in mechanical aggressive environments), packaging, logistics industries.
- Quality control destructive tests electronic, car, glass industries, etc.

LIMITATIONS

- Do not use for handling liquids and pointed objects.
- Not suitable in ambient with high oil/grease content
- Do not use with rotating machines in which glove may get caught.



This glove is certified to comply with the essential requirements of European Directive EEC/89/686 of December 21st, 1989 relative to Personal Protective Equipment submitted to CE type examination issued by a notified laboratory, who certifies the conformity of this glove with the EN standards to which it responds and certifies the performance levels obtained during tests.



EN 388
Mechanical hazard



EN420
5 Dexterity

EN388
4 Abrasion
3 Cut
4 Tear
4 Puncture

v = sizes available

style	5 XXS	6 XS	7 S	8 L	9 M	10 XL	11 XXL	12 XXXL
Flexogrip CR DH6133			✓	✓	✓	✓	✓	