



Technical Data Sheet

NITRAFLEX™ CR DH8132

DESCRIPTION

- Industrial protective glove.
- Synthetic textile liner **gauge 15** with a synthetic coating based smooth nitrile
- Elasticated knit wrist for snug fit.
- 4 sizes available: 7, 8, 9 and 10.
- Trade unit 12 pairs, 144 pairs in a transit case.

CHARACTERISTICS

- Seamless knitted glove, made from high performances fibers including Tsunooga™ UHMWPE synthetic fibers, 1 DPF (Dine Per Filament), and Spandex®
- Specially formulated black water based synthetic smooth nitrile palm fit coating, better barrier against presence of oil and grease
- DMF-free.
- In compliance with the standards EN420 (General requirements) and EN388 (Mechanical Hazards) by CE authorized laboratory.

PERFORMANCES

- Excellent comfort and dexterity thanks to its thread fineness
- Good cut level protection and very good abrasion resistance.
- Water based process environmentally friendly

APPLICATIONS

- For uses in mechanical industry, metal works and packaging machines construction, in presence of moderate oily environment
- For handlings needing good protection against cuts.

LIMITATIONS

- Do not use for full liquid immersion.
- Do not use with rotating machines in which the glove may get caught.



This glove is certified to comply with the essential safety requirements of the regulation (EU)2016/425 relative to Personal Protective Equipment submitted to CE type examination issue by a notified laboratory which certifies the conformity of this glove with the EN standards to which it responds and certifies the performance levels obtained during the tests



4344A

EN388 :2016
Mechanical hazard



EN420

5 Dexterity

EN388

4 Abrasion

3 Cut

4Tear

4 Puncture

A EN/ISO13997(1999)

v = sizes available

style	5 XXS	6 XS	7 S	8 L	9 M	10 XL	11 XXL	12 XXXL
Nitraflex CR DH8132			✓	✓	✓	✓		