



DESCRIPTION

- Industrial protective glove.
- Synthetic HI-VIZ textile liner with a synthetic coating based on nitrile foam
- Palm fit coating
- 4 sizes available: 7, 8, 9 and 10.
- Trade unit: 12 pairs, 144 pairs in a transit case.

CHARACTERISTICS

- Seamless knitted glove, gauge 13.
- Made from HI-VIZ fibers and high performance fibers ining Tsunooga™ UHMWPE synthetic fibers, 1 DPF (Denier Per Filament), and Spandex®.
- Coating made on a black water based mix of synthetic compounds process, environmentally friendly.
- DMF-free.
- In compliance with the standards EN420+A1 (General requirements) and EN388 (Mechanical hazards) by CE authorized laboratory

PERFORMANCES

- Excellent comfort and dexterity.
- Lint free glove.
- Good abrasion and cut protection.
- Highly visible yellow liner.

APPLICATIONS

- For fine tactile handling needing a very good protection against cut, even in presence of moderate oily condition
- Mechanical industries, handling sharp components
- Building industry and in general for all people needing HI-VIZ workwear
- All ambient requiring good visibility for safety purposes.

LIMITATIONS

- Do not use for full liquid immersion.
- Do not use with rotating machines in which glove may get caught.



This glove is certified to comply with the essential safety requirements of the regulation (EU)2016/425 relative to Personal Protective Equipment submitted to CE type examination issue by a notified laboratory which certifies the conformity of this glove with the EN standards to which it responds and certifies the performance levels obtained during the tests



EN420

5 Dexterity

EN388

4 Abrasion

3 Cut

4 Tear

2 Puncture

B EN/ISO13997(1999)



4342B

EN388 :2016

Mechanical hazard

V = sizes available

style	5 XXS	6 XS	7 S	8 L	9 M	10 XL	11 XXL	12 XXXL
Nitraflex CR DH6130TSC			✓	✓	✓	✓		