



Technical Data Sheet

Sleeve TNA430BLK

DESCRIPTION

- Industrial protective Sleeve
- Cut protection with exceptional comfort
- Total length : 18 inches

- Packed in 12 pairs polybag, 144 pairs per carton.

CHARACTERISTICS

- Knitted textile made of high performing fibers including UHMWPE fibers color Black with spandex yarn
- Gauge 13 seamless process
- Thumbslot design
- Exceptional comfort and good cut protection
- Over edge finishing both side.
- Certified by authorized laboratory in conformity to norms EN420 (General requirement) and EN388 (Mechanical hazards).

PERFORMANCES

- Exceptionally high flexibility grant the higher comfort in use.
- Good protection against cut and good against abrasion.

APPLICATIONS

- To manipulate objects where medium-high cut protection is required, in dry conditions
- Handling metal parts with sharp and rough edges.
- Assembling works, quality control, mechanical industries, automobiles, metal work quality control, packaging, glass etc.

LIMITATIONS

- Not suitable to work in highly oily work station and to manipulate liquids.
- Do not use to manipulate pointed objects
- Do not use with rotating machines such as drills, lathes, etc, in which sleeve may get caught.



This glove is certified to comply with the essential safety requirements of the regulation (EU)2016/425 relative to Personal Protective Equipment submitted to CE type examination issue by a notified laboratory which certifies the conformity of this glove with the EN standards to which it responds and certifies the performance levels obtained during the tests



EN420



3X41B

EN388

3 Abrasion

X Cut

4 tear

1 Puncture

B EN/ISO13997(1999)

EN388 :2016 +A1 :2018

Mechanical hazard